




[SPRING 2014](#)
[SUMMER 2014](#)
[FALL 2014](#)
[WINTER 2014/15](#)

[Advertising Information](#)

[Event Calendar](#)

[Our Partners](#)

[Safety First](#)

[The Mid-Canada Region](#)

Spring 2014 Features:

MaryAnn Mihychuk
sold on Snow Lake

Snow Lake –
the future is NOW

Managing risk
while digging for minerals

The LATEST in Forestry
and Mining Equipment

Deployable
fibre optic systems

Deployable fibre optic systems for harsh mining environments

In subterranean mining operations, access to communication networks deep underground is critical for transporting data, voice, and video, and other supporting applications that are essential for efficient and safe operations.

Whether accessing sophisticated ERP or Maintenance Management Systems, engaging in fleet management, video surveillance, or access control, or protecting miners with wireless locator systems, these networks serve as a literal lifeline between workers deep within mines and surface operations.

For this, mining networks require more than permanently installed network cabling, it also requires unique deployable systems designed for quick installation, extension and even relocation as the active mine site area moves, or equipment is moved in and out.

Ruggedized fibre optic systems

Given the increasing bandwidth requirements and concerns about electromagnetic interference (EMI), fibre optic cable is quickly replacing the more traditional choice, copper. Designed to survive the rigors of a mining environment, this extremely ruggedized cabling can withstand everything from dust and debris to chemical exposure, temperature extremes, radiation, electrical power transients, interference, fire, moisture, humidity, water, crush, tension, flexing, impact, and vibration.

The fibre optic cable, however, is only a component of a complete, deployable system, explains **Rick Hobbs**, Director of Business Development at Optical Cable Corporation (OCC). OCC is a company that designs and manufactures fibre optic cabling, connectors and assemblies for harsh environments such as mining.

According to Hobbs, other key elements include hardened cable jacketing; 'genderless' connectors for quick deployment without regard for male or female ends; and hybrid options that include copper along with fibre to provide power for underground Wi-Fi networks.

Hardened cabling

For locations that require compliance with MSHA's Part 7, Subpart K of Title 30 of the Code of Federal Regulations (CFR) signal cables mining applications, OCC typically recommends its MSHA-rated B-Series Breakout Cable.

MSHA cables are designed to withstand the rigors of difficult pulls, high tensile loading and severe crush occurrences and can repeatedly endure the abuse associated with the extreme demands in surface and sub-surface mining.

The B-Series Breakout Cable is one of OCC's most rugged, high strength cables. Each individual, color-coded sub-cable has its own tight-buffered coating to protect each fiber. In addition, these cables have a tight-bound outer jacket, which is pressure extruded directly over the cable's core. This combination of a helically stranded core, and a pressure extruded outer jacket provides an overall cable construction that offers crush and impact protection and increased tensile strength.

"The Breakout Cable is essentially a double-jacketed construction," says Hobbs. "Instead of 900 micron buffers and an outer jacket, each of the 900 micron buffers has a 2.5 millimeter subunit protecting it."

As an alternative, if cost is an issue and the conditions warrant it, MSHA-rated distribution style cabling is an alternative. This cable is also extremely rugged, featuring the helically stranded core and extruded outer jacket, but not the additional 2.5mm sub-cable for each fiber. According to Hobbs, other MSHA-rated cable designs are available, offering escalating degrees of cable protection to meet the specific needs of an application.

These include alternative jacket materials, such as PVC and polyurethane, which are specifically tailored to meet the mechanical and environmental needs of the application. Additional options within each cable type include jacket materials for applications requiring lower coefficient of friction, chemical resistance, and temperature flexibility for both low and high extremes. Water tolerant options are also available that take advantage of the qualities of tight buffered cable and super absorbent polymer aramid yarn.

Hybrid cables, connectors

For applications that can benefit from fibre optics and copper, hybrid cables offer both within the same cabling sheath.

A distinct advantage of a hybrid cable-connector solution is that the customer can bundle both the high performance of fibre with the copper power or control signal in one cable. This reduces the number of cables that must be designed, purchased and deployed into a system.

Hybrid cabling also facilitates installation of wireless access points underground. Unlike traditional wireless networking devices that require 110-Volt AC power for each device, with a hybrid system 12vdc or 48vdc power can be supplied in the same cable to power wireless routers, as well as other electronic devices.

As a result, certified devices are able to communicate throughout the network, including devices such as VOIP devices IP Cameras.

This provides personnel, even deep within mines, with the means to communicate with each other and even make calls outside the mine.

Wireless systems also play a key role in providing post-accident miner locator tracking and two-way communications.

Some of the available tracking systems involve small, wearable radio frequency identification (RFID) locator tags that can be attached to miners or a piece of equipment. These tags communicate with wireless access points or nodes placed in strategic locations throughout the mine to pinpoint their location.

Genderless connectors

'Genderless' connectors, designed for quick deployment, are able to connect with one another allowing the user to connect fiber optic cables without regard for male or female ends.

Companies such as OCC have further simplified the genderless design with user friendly mating interfaces (the company's EZ-Mate family) capable of 'blind mate' and/or applications that require thousands of mating cycles.

The connector system is designed to resist extreme harsh mechanical and environmental

conditions including high vibration, mechanical and thermal shock, and fluid immersion.

With genderless connectors, multiple identical cable assemblies can be daisy-chained together over a distance of up to several kilometers while maintaining polarity. Polarity can be an issue when connecting an odd number of traditional male to female gender connectors. In such cases, additional connectors, which add signal loss, are required to correct polarity.

In high traffic areas where the risk of damage to installed cabling is elevated, spare assemblies, fitted with genderless connectors, can be stored to allow for fast and easy replacement with minimal interruption to operations.

Increasing conversion to fibre optics

According to Hobbs, there are many mining companies that are converting to fiber optics as the costs for components continue to drop, making fibre a better solution than copper in most applications. Even die-hard copper devotees are moving to fibre and when they do, they rarely look back.

"When System Engineers realize the increased bandwidth opportunities afforded by installing a fibre network, they usually expand their requirements, and identify creative new ways to utilize the technology to provide innovative solutions for their applications," says Hobbs.

For more information about deployable fibre optic system for harsh environments, contact Optical Cable Corporation (OCC) at 5290 Concourse Drive, Roanoke, Virginia, 24019; Phone: (800) 622-7711, Canada (800) 443-5262; FAX: 540-265-0724; Email: info@occfiber.com; or visit the web site www.occfiber.com.

[Back to top](#)