



NOTES: UNLESS OTHERWISE SPECIFIED.

1. PRODUCT APPROVAL REQUIRES CERTIFICATION OF COMPLIANCE TO E.U. RoHS DIRECTIVE 2002/95/EC.
2. ADJUSTMENT POSITIONS: 17  
 MAXIMUM NUT CAPACITY (FLAT-TO-FLAT): 1.75" (46 mm)  
 LENGTH: 9.84" (250 mm)  
 WEIGHT: 1.26 lbs. (571 g)
3. JAWS SHOULD BE SET FOR 3/8" OPENING IN CLOSED POSITION WHEN USED TO TERMINATE OCC FIELD TERMINALBLE PLUGS.

"OPTICAL CABLE CORPORATION (OCC)  
 RESERVES THE RIGHT TO REVISE ANY  
 AND ALL DESIGN SPECIFICATIONS."  
**UNCONTROLLED COPY**




B1=.315" (8.0 mm)  
 B2=.315" (8.0 mm)  
 B3=.551" (14.0 mm)

FPJP	PLIERS, PARALLEL JAW, FIELD PLUG
OCC PART NO.	DESCRIPTION

UNLESS OTHERWISE SPECIFIED  
 DIMENSIONS ARE IN INCHES.  
 TOLERANCES: FRACTIONS  $\pm 1/32"$   
 ANGLES  $\pm 1/2^\circ$   
 3 PLACE DECIMALS  $\pm .005"$   
 2 PLACE DECIMALS  $\pm .01"$

THIS DRAWING AND THE DESIGN SHOWN ARE THE  
 PROPERTY OF OPTICAL CABLE CORPORATION AND  
 MAY NOT BE USED AS THE BASIS FOR MANUFACTURE  
 OR SALE WITHOUT SPECIFIC WRITTEN PERMISSION  
 OF OPTICAL CABLE CORPORATION.



33 Superior Way  
 Swannanoa, NC 28778  
 Phone: 828-298-2260  
 Fax: 828-298-2487  
 www.occfiber.com

THIRD ANGLE PROJECTION	
CRITICAL DIMENSION CODE	<p>(F) = FUNCTION</p> <p>(M) = MATING</p> <p>(A) = AUDIT</p>

MATERIAL	
FINISH	NICKEL PLATED

DRAWN	D.A.HOLBERT	DATE	3/4/15
CHECKED	O.GAMEZ	DATE	3/4/15
ENGINEER	J.YANIK	DATE	3/4/15
APPROVED	J.HOWE	DATE	4/28/15
PREVIOUS DWG			
NEXT DWG			

DWG TITLE		PARALLEL JAW PLIERS, FIELD PLUG	
SIZE	DWG NO.	REV	
A	<b>C112142</b>	A	
SCALE:	NONE	SHEET	1 OF 1
FILENAME	C112142A.dft		